Mariah Quick, MPH; Tongtan Chantarat, MPH; Ashleigh Norris, BA; Ira Moscovice, PhD University of Minnesota

#### **KEY FINDINGS: New Hampshire**

- The HCAHPS reporting rate of 100 percent for New Hampshire CAHs in 2017 was greater than the national reporting rate of 84.4 percent and ranked #1 among 45 states that participate in the Flex Program.
- Compared with all other CAHs nationally, New Hampshire CAHs scored significantly lower on 1 measure and did not have significantly different performance on the remaining 9 measures.

#### **BACKGROUND**

The Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) is a national, standardized survey of patients' perspectives of hospital care. It was developed by the Agency for Healthcare Research and Quality and the Centers for Medicare & Medicaid Services (CMS) to complement other hospital tools designed to support quality improvement. The survey is administered to a random sample of adult patients following discharge from the hospital for inpatient medical, surgical, or maternity care.

Ten HCAHPS measures are publicly reported on Hospital Compare. Six are composite measures that address how well doctors and nurses communicate with patients, the responsiveness of hospital staff, communication about medicines, and patient understanding of their care when they left the hospital. The provision of discharge information is reported as "yes/no." The other five composite measures, along with two measures regarding the hospital environment, are reported in response categories of "always," "usually," and "sometimes/never." Additional measures address the overall rating of the hospital on a 1-10 scale ("high" = 9 or 10, "medium" = 7 or 8, "low" ≤ 6) and the patient's willingness to recommend the hospital ("definitely would," "probably would," and "probably/ definitely would not"). CMS adjusts the publicly reported HCAHPS results for patient-mix, mode of data collection, and non-response bias.

Critical Access Hospitals (CAHs) may voluntarily report HCAHPS measures to Hospital Compare. HCAHPS measures are a core improvement activity in the Medicare Beneficiary Quality Improvement Project (MBQIP).

#### **APPROACH**

This study used data publicly reported to Hospital Compare by CAHs for discharges during calendar year 2017 as well as suppressed data from MBQIP. In 2016, CMS began suppressing HCAHPS results from Hospital Compare for hospitals with fewer than 25 completed surveys. The FMT national and state HCAHPS reports include MBQIP HCAHPS data from 163 CAHs that agreed to participate in Hospital Compare, but whose results were suppressed from Hospital Compare because of having fewer than 25 completed surveys. Although some CAHs had very few surveys, the results are reported in aggregate for all CAHs in each state, and no states had fewer than 25 surveys for all CAHs in the state.

The national and state HCAHPS reports exclude results from 47 CAHs that submitted HCAHPS data to



MBQIP but did not agree to publicly report to Hospital Compare. The reports include data from one CAH that reported HCAHPS data to Hospital Compare, but not to MBQIP.


For each HCAHPS measure, the percentages of patients reporting the highest response (e.g., "always") on each measure were summed and averaged across all reporting CAHs within a state and all other states. Two-sample t-tests were used to compare whether the mean scores on each measure are significantly different between CAHs in each state and all other CAHs. Weights were applied to all calculations.

#### **RESULTS**

Figure 1 compares participation rates in HCAHPS over time among four groups of CAHs: those in New Hampshire, all CAHs nationally, those located in other states with a similar number of CAHs, and those located in the same Health Resources and Services Administration (HRSA) geographic region as New Hampshire. The HCAHPS reporting rate of 100 percent for New Hampshire CAHs was greater than the national reporting rate of 84.4 percent.

Table 1 ranks the states by their CAHs' respective HCAHPS reporting rate for 2017. New Hampshire's rate was tied for #1 of the 45 states that participate in the Flex program.

Figure 1. CAH Participation in HCAHPS<sup>1</sup>, 2015 - 2017



- 1. Percentage of CAHs in each state or group of states reporting HCAHPS data.
- Group includes states with 10-19 CAHs: AK(14), AZ(14), FL(12), ME(16), NM(10), NV(13), NY(18), PA(15), TN(14), UT(13), WY(16)
- 3. HRSA Region A includes MA(3), ME(16), NY(18), PA(15), VA(7), VT(8), WV(20)

Table 1. State Rankings of HCAHPS Participation Rates for CAHs, 2017

	pation mates	101 OA113, 2011				
Rank	State	CAHs participating	% of CAHs			
	Illinois	51				
	Indiana	35				
	Idaho	27				
	Oregon	25				
	Maine	16				
4	Pennsylvania	15	100.0			
1	New Hampshire	13	100.0			
	Utah	13				
	Vermont	8				
	Virginia	7				
	Alabama	4				
	Massachusetts	3				
13	Nebraska	63	98.4			
14	Wisconsin	57	98.3			
15	Ohio	32	97.0			
16	Georgia	29	96.7			
17	West Virginia	19	95.0			
18	New York	17	94.4			
19	Minnesota	72	92.3			
20	Michigan	33	91.7			
21	Iowa	75	91.5			
22	New Mexico	9	90.0			
23	Mississippi	27	87.1			
24	Arkansas	25	86.2			
25	California	29	85.3			
26	Kentucky	23	85.2			
27	Kansas	71	84.5			
	All CAHs	1,138	84.4			
28	South Dakota	32	84.2			
29	North Dakota	30	83.3			
30	Washington	32	82.1			
	Montana	39				
31	Wyoming	13	81.3			
33	Arizona	11 11	78.6			
35	Tennessee Colorado	23	71.9			
36	Nevada	9	69.2			
- 00			00.2			
37	Missouri North Carolina	24 14	66.7			
39	Louisiana	17	63.0			
40	South Carolina	3	60.0			
41	Texas	49	57.6			
42	Alaska	8	57.1			
43	Florida	6	50.0			
44	Oklahoma	16	42.1			
45	Hawaii	3	33.3			
		<u> </u>				

www.flexmonitoring.org 2



Table 2 shows the number of completed HCAHPS surveys per CAH in New Hampshire and nationally in the five survey completion and three survey response rate categories reported by CMS. CMS recommends that each hospital obtain 300 completed HCAHPS surveys annually, in order to be more confident that the survey results are reliable for assessing the hospital's performance. However, some smaller hospitals may sample all of their HCAHPS-eligible discharges and still have fewer than 300 completed surveys. Caution should be exercised in comparing HCAHPS results for states that have few CAHs reporting results and/or CAHs whose results are based on fewer than 100 completed surveys.

Compared to all other CAHs nationally, New Hampshire's CAHs scored significantly better on 0 of 10 HCAHPS measures and significantly worse on 1 measure (Table 3).

Table 2. Number of Completed HCAHPS Surveys and Response Rates for CAHs Nationally and in New Hampshire, 2017

	Total CAHs reporting	Number of completed HCAHPS surveys			HCAHPS survey response rates				
	reporting	< 25	25-49	50-99	100-299	≥ 300	< 25%	25-50%	> 50%
US	1,138	163	216	303	395	61	274	829	35
NH	13	0	1	2	9	1	6	7	0

# Table 3. HCAHPS Results for CAHs in New Hampshire and All Other Flex States, 2017

Significantly better than rate for all other CAHs nationally (p<.05)

Significantly worse than rate for all other CAHs nationally (p<.05)

поливо и	Average percentage of patients that gave the highest level of response (e.g., "always")			
HCAHPS Measure	New Hampshire (n=13) <sup>1</sup>	All Other Flex States (n=1,125)		
Nurses always communicated well	82.6	83.2		
Doctors always communicated well	82.9	84.4		
Patient always received help as soon as wanted	74.8	76.6		
Staff always explained medications before giving them to patient	67.8	69.4		
Staff always provided information about what to do during recovery at home	89.6	88.5		
Patient understood their care when they left the hospital	55.4	55.6		
Patient's room and bathroom were always clean	80.2	79.9		
Area around patient's room was always quiet at night	59.3	65.2		
Patient gave a rating of 9 or 10 [high] on a 1-10 scale	75.8	76.4		
Patient would definitely recommend the hospital to friends and family	73.4	74.5		

<sup>1.</sup> Rates without highlights were not significantly different from comparable rates among all other reporting CAHs nationally.

www.flexmonitoring.org 3



# **Links to All State-Specific HCAHPS Reports**

**National Report** Louisiana Ohio Alabama Maine Oklahoma Alaska Massachusetts <u>Oregon</u> Arizona Michigan Pennsylvania **Arkansas** South Carolina Minnesota California Mississippi South Dakota Colorado Missouri Tennessee Florida Montana Texas Georgia Utah Nebraska Hawaii Nevada Vermont Idaho **New Hampshire** Virginia Illinois **New Mexico Washington** Indiana New York West Virginia Iowa North Carolina **Wisconsin** Kansas North Dakota **Wyoming** Kentucky

For more information on this study, please contact Mariah Quick at *quick078@umn.edu* 



This study was conducted by the Flex Monitoring Team with funding from the Federal Office of Rural Health Policy (FORHP), Health Resources and Services Administration (HRSA), U.S. Department of Health and Human Services (HHS), under PHS Grant No. U27RH01080. The information, conclusions, and opinions expressed in this document are those of the authors and no endorsement by FORHP, HRSA, or HHS is intended or should be inferred.

www.flexmonitoring.org 4